


## TRANSPORTER® MATERIAL DISCHARGE

Transporter Material Discharge is an extremely versatile discharge hose that will handle non-oily edibles, organic acids and abrasive products. The distinguishing blue SBR cover is abrasion and weather resistant. This hose features a 3/16" thick white natural rubber tube that meets all FDA requirements.



<b>Resistance:</b>
<b>Branding:</b>
Thermoid HBD Industries Material Discharge FDA White Natural Rubber Tube WP Made In USA


**Cover Color:** Blue  
**Oil Resistance:** Limited  
**Construction:**  
**Tube:** NR, FDA white, nominal 3/16" thick  
**Cover:** SBR  
**Reinforcement:** Multiple plies of synthetic cord and static wire  
**Temperature Range:** -40°F to +160°F  
 -40°C to +71°C  
**Packaging:** 100 ft. maximum

Product Number	Nominal I.D.		Nominal O.D.		Plies	Working Pressure		Min. Bend Radius		Weight	
	(inches)	(mm)	(inches)	(mm)		(psi)	(Mpa)	(inches)	(mm)	(lb/ft)	(Kg/m)
17772020002▲	2	50.80	2.69	68.26	2	150	1.03	n/a	n/a	1.20	1.79
17772030002▲	3	76.20	3.69	93.66	2	150	1.03	n/a	n/a	1.70	2.53
17772040002	4	101.60	4.69	119.06	2	100	0.69	n/a	n/a	2.40	3.57

▲ = Make To Order (MTO)  
 n/a = Not Applicable

## TRANSPORTER® MATERIAL SUCTION

Transporter Material Suction is an extremely versatile suction hose that will handle non-oily edibles, organic acids and abrasive products. The distinguishing blue SBR corrugated cover is abrasion and weather resistant. This hose features a 3/16" thick white natural rubber tube that meets all FDA requirements. This hose is rated at **full vacuum**.



<b>Resistance:</b>
<b>Branding:</b>
Thermoid HBD Industries Material Suction FDA White Natural Rubber Tube WP Made In USA

**Cover Color:** Blue  
**Oil Resistance:** Limited  
**Construction:**  
**Tube:** NR, FDA white, nominal 3/16" thick  
**Cover:** SBR, corrugated  
**Reinforcement:** Synthetic steel wire helix(es) between synthetic textile plies  
**Temperature Range:** -40°F to +160°F  
 -40°C to +71°C  
**Packaging:** 100 ft. maximum

Product Number	Nominal I.D.		Nominal O.D.		Plies	Working Pressure		Min. Bend Radius		Weight	
	(inches)	(mm)	(inches)	(mm)		(psi)	(Mpa)	(inches)	(mm)	(lb/ft)	(Kg/m)
17771115002▲	1-1/2	38.10	2.22	56.36	2	150	1.03	5.00	127.00	1.30	1.93
17771120002▲	2	50.80	2.75	69.85	2	150	1.03	7.00	177.80	1.60	2.38
17771125002▲	2-1/2	63.50	3.38	85.73	2	150	1.03	8.00	203.20	2.30	3.42
17771130002▲	3	76.20	3.88	98.43	2	150	1.03	9.00	228.60	2.70	4.02
17771140002	4	101.60	4.88	123.83	2	100	0.69	12.00	304.80	4.00	5.95

▲ = Make To Order (MTO)