



# Thermoid<sup>®</sup> Select<sup>™</sup>

## V-BELTS

# Distributor Price Pages

Pricing Effective November 1, 2006

Freight prepaid on net shipments of \$2,500.00.

Continental U.S.A. only.

F.O.B. shipping point.

Payment Terms: Net 30 Days.

## Classical



### "A" SECTION 1/2" Top x 5/16" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
A18SEL	\$4.46	20.1	0.2
A19SEL	4.46	21.1	0.2
A20SEL	4.46	22.1	0.2
A21SEL	4.46	23.1	0.2
A22SEL	4.46	24.1	0.2
A23SEL	4.46	25.1	0.2
A24SEL	4.52	26.1	0.2
A25SEL	4.59	27.1	0.3
A26SEL	4.66	28.1	0.3
A27SEL	4.74	29.1	0.3
A28SEL	4.81	30.1	0.3
A29SEL	4.87	31.1	0.3
A30SEL	4.94	32.1	0.3
A31SEL	5.03	33.1	0.3
A32SEL	5.14	34.1	0.3
A33SEL	5.20	35.1	0.3
A34SEL	5.32	36.1	0.3
A35SEL	5.38	37.1	0.3
A36SEL	5.49	38.1	0.3
A37SEL	5.64	39.1	0.3
A38SEL	5.74	40.1	0.3
A39SEL	5.83	41.1	0.3
A40SEL	5.93	42.1	0.3
A41SEL	6.04	43.1	0.4
A42SEL	6.15	44.1	0.4
A43SEL	6.29	45.1	0.4
A44SEL	6.35	46.1	0.4
A45SEL	6.42	47.1	0.4
A46SEL	6.45	48.1	0.4
A47SEL	6.53	49.1	0.4
A48SEL	6.60	50.1	0.4
A49SEL	6.68	51.1	0.4
A50SEL	6.74	52.1	0.4
A51SEL	6.83	53.1	0.5
A52SEL	6.90	54.1	0.5
A53SEL	6.95	55.1	0.5
A54SEL	7.07	56.1	0.5
A55SEL	7.16	57.1	0.5
A56SEL	7.21	58.1	0.5
A57SEL	7.28	59.1	0.5

### "A" SECTION - cont'd 1/2" Top x 5/16" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
A58SEL	\$ 7.38	60.1	0.5
A59SEL	7.46	61.1	0.5
A60SEL	7.54	62.1	0.5
A61SEL	7.63	63.1	0.5
A62SEL	7.70	64.1	0.5
A63SEL	7.83	65.1	0.5
A64SEL	7.89	66.1	0.5
A65SEL	7.96	67.1	0.5
A66SEL	8.09	68.1	0.5
A67SEL	8.18	69.1	0.5
A68SEL	8.25	70.1	0.5
A69SEL	8.44	71.1	0.5
A70SEL	8.60	72.1	0.5
A71SEL	8.70	73.1	0.5
A72SEL	8.73	74.1	0.5
A73SEL	8.79	75.1	0.5
A74SEL	8.86	76.1	0.5
A75SEL	8.98	77.1	0.5
A76SEL	9.26	78.1	0.5
A77SEL	9.33	79.1	0.5
A78SEL	9.39	80.1	0.5
A79SEL	9.57	81.1	0.5
A80SEL	9.68	82.1	0.6
A81SEL	9.81	83.1	0.6
A82SEL	9.98	84.0	0.6
A83SEL	10.10	85.1	0.6
A84SEL	10.26	86.1	0.6
A85SEL	10.40	87.1	0.6
A86SEL	10.54	88.1	0.6
A87SEL	10.68	89.1	0.6
A88SEL	10.85	90.1	0.6
A89SEL	10.98	91.1	0.6
A90SEL	11.13	92.1	0.6
A91SEL	11.26	93.1	0.6
A92SEL	11.37	94.1	0.6
A93SEL	11.50	95.1	0.6
A94SEL	11.62	96.1	0.6
A95SEL	11.73	97.1	0.7
A96SEL	11.84	98.1	0.7
A97SEL	12.00	99.1	0.7
A98SEL	12.10	100.1	0.7
A100SEL	12.35	102.1	0.7
A103SEL	12.73	105.1	0.7
A105SEL	13.92	107.1	0.8
A120SEL	15.43	112.1	0.8

### "B" SECTION 21/32" Top x 13/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
B24SEL	\$ 5.74	27.1	0.3
B25SEL	5.83	28.1	0.3
B26SEL	6.00	29.1	0.4
B27SEL	6.21	30.1	0.4
B28SEL	6.25	31.1	0.4
B29SEL	6.39	32.1	0.4
B30SEL	6.53	33.1	0.4
B31SEL	6.68	34.1	0.4
B32SEL	6.77	35.1	0.4
B33SEL	6.93	36.1	0.4
B34SEL	7.02	37.1	0.5
B35SEL	7.19	38.1	0.5
B36SEL	7.38	39.1	0.5
B37SEL	7.67	40.1	0.5
B38SEL	7.89	41.1	0.5
B39SEL	8.09	42.1	0.5
B40SEL	8.25	43.1	0.5
B41SEL	8.44	44.1	0.5
B42SEL	8.60	45.1	0.6
B43SEL	8.79	46.1	0.6
B44SEL	8.98	47.1	0.6
B45SEL	9.15	48.1	0.6
B46SEL	9.33	49.1	0.6
B47SEL	9.46	50.1	0.6
B48SEL	9.63	51.1	0.6
B49SEL	9.75	52.1	0.6
B50SEL	9.92	53.1	0.7
B51SEL	10.05	54.1	0.7
B52SEL	10.15	55.1	0.7
B53SEL	10.23	56.1	0.7
B54SEL	10.34	57.1	0.7
B55SEL	10.40	58.1	0.7
B56SEL	10.49	59.1	0.8
B57SEL	10.54	60.1	0.8
B58SEL	10.61	61.1	0.8
B59SEL	10.68	62.1	0.8
B60SEL	10.78	63.1	0.8
B61SEL	10.91	64.1	0.8
B62SEL	11.04	65.1	0.8
B63SEL	11.20	66.1	0.8
B64SEL	11.33	67.1	0.8
B65SEL	11.47	68.1	0.8
B66SEL	11.62	69.1	0.8
B67SEL	11.73	70.1	0.8
B68SEL	11.84	71.1	0.8

\*NON-STOCK ITEM – Contact Elgin Customer Service • Stock items subject to change without notice.

# Classical



## "B" SECTION - cont'd 2 1/32" Top x 13/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
B69SEL	\$12.00	72.1	0.8
B70SEL	12.15	73.1	0.9
B71SEL	12.31	74.1	0.9
B72SEL	12.45	75.1	0.9
B73SEL	12.58	76.1	0.9
B74SEL	12.78	77.1	0.9
B75SEL	12.92	78.1	0.9
B76SEL	13.08	79.1	0.9
B77SEL	13.28	80.1	1.0
B78SEL	13.43	81.1	1.0
B79SEL	13.64	82.1	1.0
B80SEL	13.83	83.1	1.0
B81SEL	13.99	84.1	1.0
B82SEL	14.35	85.1	1.0
B83SEL	14.47	86.1	1.0
B84SEL	14.60	87.1	1.0
B85SEL	14.70	88.1	1.0
B86SEL	14.86	89.1	1.0
B87SEL	15.00	90.1	1.0
B88SEL	15.13	91.1	1.0
B89SEL	15.29	92.1	1.1
B90SEL	15.43	93.1	1.1
B91SEL	15.65	94.1	1.1
B92SEL	15.89	95.1	1.1
B93SEL	16.14	96.1	1.1
B94SEL	16.32	97.1	1.1
B95SEL	16.50	98.1	1.1
B96SEL	16.67	99.1	1.1
B97SEL	16.87	100.1	1.1
B98SEL	16.97	101.1	1.1
B99SEL	17.10	102.1	1.2
B100SEL	17.24	103.1	1.2
B101SEL	17.33	104.1	1.2
B103SEL	17.59	106.1	1.2
B105SEL	17.93	108.1	1.3
B106SEL	18.12	109.1	1.3
B108SEL	18.58	111.1	1.3
B110SEL	19.03	113.1	1.3
B112SEL	19.38	115.1	1.3
B115SEL	19.91	118.1	1.3
B116SEL	19.91	119.1	1.3
B118SEL	20.16	121.1	1.4
B120SEL	20.45	123.1	1.4
B123SEL	20.95	126.1	1.4
B124SEL	21.17	127.1	1.4
B126SEL	21.52	129.1	1.4
B128SEL	21.87	131.1	1.4
B130SEL	22.32	133.1	1.5
B133SEL	22.97	136.1	1.5
B136SEL	23.39	139.1	1.5

## "B" SECTION - cont'd 2 1/32" Top x 13/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
B138SEL	\$23.68	141.1	1.5
B140SEL	24.03	143.1	1.6
B144SEL	24.76	147.1	1.6
B148SEL	25.38	151.1	1.7
B150SEL	25.70	153.1	1.7
B154SEL	26.26	157.1	1.8
B158SEL	26.92	161.1	1.8
B162SEL	27.99	165.1	1.8
B173SEL	29.41	176.1	2.0
B180SEL	30.85	183.1	2.0
B190SEL*	32.56	193.1	2.1
B195SEL	33.37	198.1	2.1
B210SEL	35.88	213.1	2.0
B225SEL*	38.10	226.6	2.3
B240SEL*	40.55	241.6	2.3
B270SEL*	45.93	271.6	2.6
B285SEL*	48.44	286.6	2.7
B315SEL*	53.97	316.6	3.2
B360SEL*	60.81	361.6	3.8

## "C" SECTION 7/8" Top x 17/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
C51SEL	\$16.50	55.2	1.2
C55SEL	17.80	59.2	1.3
C60SEL	19.38	64.2	1.3
C62SEL	20.02	66.2	1.4
C68SEL	21.87	72.2	1.5
C72SEL	23.09	76.2	1.6
C75SEL	24.03	79.2	1.6
C78SEL	25.11	82.2	1.7
C81SEL	26.20	85.2	1.7
C85SEL	26.92	89.2	1.8
C90SEL	29.06	94.2	1.9
C94SEL	34.73	98.2	1.9
C96SEL	30.85	100.2	2.0
C97SEL	31.18	101.2	2.1
C99SEL	31.83	103.2	2.1
C100SEL	32.14	104.2	2.1
C101SEL	32.43	105.2	2.1
C105SEL	33.73	109.2	2.3
C108SEL	34.61	112.2	2.3
C109SEL	34.85	113.2	2.4
C112SEL	35.88	116.2	2.4
C115SEL	36.81	119.2	2.4
C120SEL	37.38	124.2	2.5
C124SEL	39.62	128.2	2.5
C128SEL	40.90	132.2	2.5

## "C" SECTION - cont'd 7/8" Top x 17/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
C136SEL	\$ 43.20	140.2	2.7
C140SEL	44.35	144.2	2.8
C144SEL	45.93	148.2	2.8
C150SEL	47.58	154.2	2.9
C158SEL	50.23	162.2	3.0
C162SEL	51.31	166.2	3.0
C173SEL	54.89	177.2	3.1
C180SEL	57.40	184.2	3.2
C190SEL	60.49	194.2	3.3
C195SEL	62.08	199.2	3.4
C210SEL	67.08	214.2	3.7
C225SEL	71.14	227.2	4.4
C240SEL	75.34	242.2	4.8
C255SEL	80.62	257.2	5.0
C270SEL	85.03	272.2	5.4
C285SEL	89.73	287.2	5.6
C300SEL	94.37	302.2	5.6
C315SEL*	99.33	317.2	5.6
C330SEL	103.70	332.2	5.7
C345SEL*	108.34	347.2	6.6
C360SEL*	113.01	362.2	7.0
C390SEL*	122.70	392.2	7.4
C420SEL*	132.39	422.2	7.8

## "D" SECTION 1-1/4" Top x 3/4" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
D90SEL	\$ 53.51	95.2	4.1
D120SEL	71.04	125.2	4.5
D128SEL	75.68	133.2	4.8
D144SEL	85.03	149.2	5.4
D158SEL	93.27	163.2	6.0
D162SEL	96.16	167.2	6.1
D173SEL	105.84	178.2	6.5
D180SEL	112.62	185.2	6.8
D195SEL	114.79	200.2	7.3
D210SEL	123.78	215.2	7.9
D240SEL	139.21	242.7	9.0
D255SEL	147.81	257.7	9.5
D270SEL	156.77	272.7	10.0
D285SEL*	165.40	287.7	10.7
D330SEL*	191.57	332.7	12.4
D360SEL*	208.79	362.7	13.5
D390SEL*	226.73	392.7	14.6
D450SEL*	264.81	453.0	17.0
D480SEL*	280.55	482.7	18.1

\*NON-STOCK ITEM – Contact Elgin Customer Service • Stock items subject to change without notice.

# Classical Cogged



## “AX” SECTION 1/2" Top x 5/16" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
AX24SEL*	\$ 6.57	26.1	0.2
AX26SEL	6.57	28.1	0.2
AX28SEL	6.57	30.1	0.2
AX30SEL*	6.57	32.1	0.2
AX31SEL	6.57	33.1	0.2
AX32SEL*	6.59	34.1	0.2
AX33SEL	6.80	35.1	0.2
AX34SEL	6.96	36.1	0.2
AX35SEL	7.05	37.1	0.2
AX36SEL	7.18	38.1	0.2
AX37SEL	7.37	39.1	0.2
AX38SEL	7.50	40.1	0.2
AX39SEL	7.62	41.1	0.2
AX40SEL	7.81	42.1	0.2
AX41SEL	8.01	43.1	0.2
AX42SEL	8.06	44.1	0.3
AX43SEL	8.22	45.1	0.3
AX44SEL	8.26	46.1	0.3
AX46SEL	8.44	48.1	0.3
AX48SEL	8.65	50.1	0.3
AX50SEL	8.79	51.1	0.3
AX51SEL	8.92	53.1	0.3
AX53SEL	9.11	55.1	0.3
AX54SEL	9.23	56.1	0.3
AX55SEL	9.35	57.1	0.3
AX56SEL	9.44	58.1	0.3
AX58SEL	9.53	60.1	0.3
AX60SEL	9.85	62.1	0.3
AX62SEL	10.09	64.1	0.3
AX64SEL	10.34	66.1	0.3
AX66SEL	10.56	68.1	0.4
AX68SEL	10.79	70.1	0.4
AX70SEL	11.26	72.1	0.4
AX71SEL	11.35	73.1	0.4
AX75SEL	11.73	77.1	0.4

## “AX” SECTION—cont'd 1/2" Top x 5/16" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
AX78SEL	\$12.30	80.1	0.4
AX80SEL	12.69	82.1	0.4
AX85SEL	13.61	87.1	0.4
AX90SEL	14.53	92.1	0.4

## “BX” SECTION 21/32" Top x 13/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
BX32SEL	\$ 8.57	34.9	0.4
BX34SEL	9.13	36.9	0.4
BX35SEL	9.39	37.9	0.4
BX36SEL	9.66	38.9	0.4
BX38SEL	10.34	40.9	0.4
BX40SEL	10.74	42.9	0.4
BX41SEL	11.01	43.9	0.4
BX42SEL	11.26	44.9	0.4
BX43SEL	11.52	45.9	0.4
BX44SEL	11.88	46.9	0.5
BX45SEL	12.04	47.9	0.5
BX46SEL	12.18	48.9	0.5
BX48SEL	12.56	50.9	0.5
BX50SEL	12.94	52.9	0.5
BX51SEL	13.14	53.9	0.5
BX52SEL	13.27	54.9	0.5
BX53SEL	13.36	55.9	0.5
BX54SEL	13.52	56.9	0.5
BX55SEL	13.61	57.9	0.6
BX56SEL	13.70	58.9	0.6
BX58SEL	13.90	60.9	0.6
BX59SEL	13.99	61.9	0.6
BX60SEL	14.08	62.9	0.6
BX61SEL	14.26	63.9	0.7

## “BX” SECTION—cont'd 21/32" Top x 13/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
BX62SEL	\$14.46	64.9	0.7
BX63SEL	14.64	65.9	0.7
BX64SEL	14.83	66.9	0.7
BX65SEL	15.02	67.9	0.7
BX66SEL	15.21	68.9	0.7
BX67SEL	15.33	69.9	0.7
BX68SEL	15.48	70.9	0.7
BX70SEL	15.90	72.9	0.7
BX71SEL	16.09	73.9	0.7
BX75SEL	16.89	77.9	0.7
BX77SEL	17.36	79.9	0.8
BX78SEL	17.60	80.9	0.8
BX79SEL	17.84	81.9	0.8
BX80SEL	18.06	82.9	0.8
BX81SEL	18.30	83.9	0.8
BX82SEL	18.77	84.9	0.8
BX83SEL	18.92	85.9	0.8
BX85SEL	19.23	87.9	0.8
BX90SEL	20.18	92.9	0.9
BX93SEL	21.11	95.9	0.9
BX95SEL	21.58	97.9	0.9


## “CX” SECTION 7/8" Top x 17/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
CX60SEL	\$25.34	64.2	1.1
CX68SEL	28.63	72.2	1.2
CX75SEL	31.45	79.2	1.3
CX81SEL	34.26	85.2	1.4
CX85SEL	35.19	89.2	1.5
CX90SEL	38.00	94.2	1.6

\*NON-STOCK ITEM – Contact Elgin Customer Service • Stock items subject to change without notice.



# Wedge



### "5V" SECTION 5/8" Top x 17/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
5V1000SEL	\$ 42.88	100.0	1.1
5V1060SEL	45.51	106.0	1.2
5V1120SEL	48.11	112.0	1.3
5V1180SEL	50.72	118.0	1.4
5V2120SEL	92.22	212.0	2.6
5V2240SEL	97.62	224.0	2.7
5V2360SEL	102.49	236.0	2.9
5V2500SEL	108.60	250.0	3.0
5V2650SEL	115.41	265.0	3.2
5V2800SEL	121.67	280.0	3.4
5V3000SEL	130.22	300.0	3.6
5V3550SEL*	154.11	355.0	4.3

### "8V" SECTION 1" Top x 7/8" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
8V1120SEL	\$ 91.86	112.0	3.9
8V1180SEL	96.94	118.0	4.2
8V1250SEL	102.68	125.0	4.4
8V1320SEL	108.43	132.0	4.7
8V1400SEL	115.06	140.0	4.9
8V1500SEL	123.43	150.0	5.2
8V1600SEL	131.63	160.0	5.6
8V1700SEL	141.21	170.0	5.9
8V1800SEL	148.88	180.0	6.3
8V1900SEL	157.43	190.0	6.7
8V2000SEL	165.96	200.0	7.0
8V2120SEL	176.26	212.0	7.5

### "8V" SECTION—cont'd 1" Top x 7/8" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
8V2240SEL	\$185.84	224.0	7.9
8V2360SEL	195.41	236.0	8.3
8V2500SEL	206.93	250.0	8.8
8V2650SEL	219.49	265.0	9.3
8V2800SEL	232.38	280.0	9.8
8V3000SEL	248.93	300.0	10.5
8V3150SEL	261.68	315.0	11.1
8V3350SEL	278.57	335.0	11.8
8V3550SEL	295.14	355.0	12.5
8V3750SEL	312.04	375.0	13.3
8V4000SEL	333.65	400.0	14.0

# Wedge Cogged



### "3VX" SECTION 3/8" Top x 5/16" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
3VX250SEL	\$ 6.76	25.0	0.1
3VX265SEL	6.94	26.5	0.1
3VX280SEL	7.11	28.0	0.1
3VX300SEL	7.30	30.0	0.1
3VX315SEL	7.64	31.5	0.1
3VX335SEL	7.81	33.5	0.2
3VX355SEL	8.16	35.5	0.2
3VX375SEL	8.33	37.5	0.2
3VX400SEL	8.86	40.0	0.2
3VX425SEL	9.20	42.5	0.2
3VX450SEL	9.56	45.0	0.2
3VX475SEL	9.91	47.5	0.2
3VX500SEL	10.07	50.0	0.2
3VX530SEL	10.41	53.0	0.2
3VX560SEL	10.78	56.0	0.2

### "3VX" SECTION—cont'd 3/8" Top x 5/16" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
3VX600SEL	\$11.29	60.0	0.3
3VX630SEL	11.63	63.0	0.3
3VX670SEL	12.16	67.0	0.3
3VX710SEL	12.84	71.0	0.3
3VX750SEL	13.55	75.0	0.3
3VX800SEL	14.42	80.0	0.3
3VX850SEL	15.45	85.0	0.4
3VX900SEL	16.67	90.0	0.4
3VX950SEL	17.54	95.0	0.4

### "5VX" SECTION 5/8" Top x 17/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
5VX500SEL	\$21.36	50.0	0.6
5VX530SEL	22.23	53.0	0.7
5VX560SEL	23.27	56.0	0.7
5VX600SEL	25.19	60.0	0.7
5VX630SEL	26.38	63.0	0.7
5VX670SEL	28.13	67.0	0.6
5VX710SEL	29.87	71.0	0.8
5VX750SEL	31.60	75.0	0.8
5VX800SEL	33.68	80.0	0.9
5VX850SEL	36.30	85.0	1.0
5VX900SEL	37.68	90.0	1.1
5VX950SEL	40.46	95.0	1.1
5VX1000SEL*	42.72	100.0	1.2
5VX1060SEL*	45.34	106.0	1.3
5VX1120SEL*	47.94	112.0	1.3
5VX1180SEL*	50.55	118.0	1.4

**HBD/Thermoid<sup>®</sup>, Inc.**

SUBSIDIARY OF **HBD INDUSTRIES, INC.**



2400 South U.S. Highway 1  
Elgin, SC 29045-9523, USA

**Toll-Free Phone/USA Only: 800/433-8208**  
**Phone: 803/438-3431 • Fax: 803/438-6135**  
**Web-sites: www.hbdthermoid.com • www.hbdindustries.com**  
**E-mail: hbdbelts@hbdelgin.com • info@hbdthermoid.com**